

Sanitation Standards Evaluation
Form for Child Care Centers

Demerits: 6.00
Date of Insp/Chg 12/15/2020
Status Code: A

Health Department GRAHAM
Current Facility ID: 038420012
Old Facility ID: _____

Classification: Superior Approved Provisional Disapproved

Inspection Name Change Visit
 Re-Inspection Status Change

Wastewater System: Municipal/Community On-Site System
Water Supply: Municipal/Community On-Site Supply
Water sample collected today: yes no

Licensing ID No: 38000021 Maximum Capacity: 15
Name of Facility: RHS CHILD CARE CENTER Operator: GRAHAM COUNTY SCHOOLS
Street Address: 315 SWEETWATER RD ROBBINSVILLE State: NC Zip: 28771

Demerits

- HANDWASHING: .2803, .2836
1. Handwashing when required 5
2. Proper handwashing procedure 5
FOOD: .2804, .2806, .2807, .2808, .2836
3. From approved sources, no spoilage, no adulteration 6
4. Potentially hazardous foods meet storage and holding temperatures; bottles, lunches refrigerated at 45° F or below 6
5. Food properly stored, thawed, prepared, cooked, cooled, handled, served, transported, packaged and identified; only supervised children in kitchen 5
6. Not re-served 3
7. Thermometers provided, accurate 2
FOOD SERVICE EQUIPMENT & UTENSILS: .2809, .2810, .2812, .2814
8. Meets specifications for refrigeration, sinks, lavatories and dishwashing equipment 6
9. Meets specifications for other equipment and utensils, approved material and construction 4
10. Food contact surfaces properly washed, rinsed, sanitized and air dried; single-service articles not re-used 5
11. Approved sanitizer provided; test kit available 2
12. Equipment, non-food contact surfaces clean; in good repair 4
13. Proper storage and handling of clean equipment, utensils and single-service articles 3
WATER SUPPLY & DRINKING WATER FACILITIES: .2815, .2836
14. Water supply meets 15A NCAC 18A .1700 and 15A NCAC 18C if applicable; documentation provided 6
15. Hot water supplied and maintained in the kitchen 6
16. Hot water supplied and tempered water maintained as required in all other areas 4
17. Hot water in excess of 120°F not allowed in areas accessible to children 6
18. Backflow prevention provided, no cross connections 3
19. Approved drinking fountains, pressure regulated, clean 2
LEAD POISONING HAZARDS: .2816
20. No identified lead poisoning hazards in accordance with NCGS 130A-131.7(7) ; date water tested 6
TOILET AND LAVATORY FACILITIES: .2817, .2818, .2836
21. Properly sized, located, accessible, and in good repair; sinks, toilets and potty chairs cleaned and disinfected 4
22. Soap, approved hand drying devices, toilet tissue available 3
23. Approved storage in toilet rooms, lavatories free of storage; hand wash signs posted 2
DIAPER CHANGING FACILITIES: .2817, .2818, .2819; .2820, .2836
24. Approved facilities as needed 6
25. Diapering surfaces cleaned and disinfected after each use 6
26. Approved cleaning and disinfecting solutions provided; test kit available when required 2
27. Free of storage and in good repair; cleaning and disinfecting solutions labeled; approved diapering methods used; diaper changing and handwash signs posted 4
STORAGE: .2820
28. Medications properly stored 6
29. Hazardous products properly stored and locked 6
30. Non-hazardous products properly stored 3
31. Facilities provided for proper storage; used and kept clean 2
BEDS, COTS, MATS AND LINENS: .2821, .2836
32. Individual linen provided; adequate beds, cots, or mats provided in good repair, properly stored, labeled, spaced during use 3
33. Linen, bedding, wash cloths, bibs, burping cloths laundered, and in good repair 3
TOYS, EQUIPMENT, FURNITURE: .2822, .2836
34. Clean and in good repair; water play centers cleaned, sanitized and maintained 4
35. Mouth-contact surfaces cleaned and sanitized in rooms where children who are not toilet trained are cared for 4
PERSONNEL: .2808, .2823
36. Approved hygienic practices, clean clothes, hair restraints where required; no evidence of tobacco use where prohibited 2
FLOORS, WALLS & CEILINGS: .2824, .2825, .2832, .2836
37. Easily cleanable, clean, and in good repair; carpets vacuumed as required and extraction cleaned; date cleaned 4
LIGHTING AND THERMAL ENVIRONMENT: .2826
38. Room temperature between 65° F and 85° F 3
39. Equipment clean and in good repair; maintained as required 2
COMMUNICABLE DISEASE CONTROL: .2827, .2836
40. Persons with a communicable disease or condition excluded in accordance with 10A NCAC 41A .0200 6
41. Persons caring for sick or mildly ill children excluded from situations in which disease transmission likely to occur 4
42. Designated area for sick children; maintained as required 2
WASTEWATER: .2829
43. Approved wastewater disposal in accordance with 15A NCAC 18A .1900 6
SOLID WASTE: .2830, .2836
44. Solid waste properly handled; containers and cleaning equipment kept clean; can cleaning facilities adequate 2
ANIMAL & VERMIN CONTROL, OUTDOOR LEARNING ENVIRONMENT & PREMISES: .2831, .2832
45. Pesticides properly used; no new CCA pressure-treated wood 6
46. CCA pressure-treated wood sealed; date sealed; soil covered or inaccessible 2
47. No animals in food preparation areas and no unrestrained animals except as allowed; no prohibited animals; required veterinary records available and current 3
48. Effective control of rodents, insects, and other vermin; premises free of vermin harborage and breeding areas 3
49. Premises clean and drained; equipment in good repair; sandboxes properly constructed and clean; adherence to air quality forecast outdoor activity restrictions when applicable 2
SWIMMING & WADING POOLS: .2833
50. Designed, constructed, operated and maintained in accordance with 15A NCAC 18A .2500 6

*Indicates critical item (6-demerits).

Signed ALLI, GRAY
Environmental Health Specialist

Comment Sheet Attached YES NO

COMMENT ADDENDUM

Health Department: GRAHAM

Facility ID: 038420012

Date: 12/15/2020

Status Code: A

Name of Establishment: RHS CHILD CARE CENTER
Location Address: 315 SWEETWATER RD
City: ROBBINSVILLE State: NC Zip : 28771

Inspection Pre-opening Visit Critical Violation Visit
Re-Inspection Visit Other

COMMENTS

General Comment:

Item Comment:

17 .2815 Hot water in excess of 120 degrees shall not be accessible to the kids. The kitchen sink was found at 135 degrees, and the door was not latched. Re-inspection is required before 12/22/2020

EHS Signature: ALLI GRAY EHS ID #: 2765 Received by:

Instructions: Purpose: This form is developed to be used for making explanatory comments observed during inspections, visits and/or notices of permit actions at establishments inspected by Environmental Health Specialists under rules adopted by the Commission for Health Services. Preparation: Local Environmental Health Specialists shall complete form DENR 4008 when necessary during inspections, visits and or notices of permit actions. The original and two copies will be distributed with the inspection form about which they provide comments. Disposition: This form may be destroyed in accordance with Standard-8.B.6., Inspection Records, of the Records Retention and Disposition Schedule for County/District Health Departments published by the North Carolina Division of Archives & History. Additional forms may be ordered from: Division of Environmental Health, 1632 Mail Service Center, Raleigh, NC 27699-1632. (Courier 52-01-00)

